


# Expressions *del Sol*™

Factory Installed Glazing Collection



 Marshfield®  
DoorSystems

Marshfield Accent Series™

*Marshfield Signature Series™*



Shown with Matelux000A Cool White Glass

# Light Impacts



Incorporate eye-catching style into your door openings with Marshfield's Expressions del Sol factory glazing collection. By definition, Expressions del Sol means Expressions of the Sun. But in your door opening, Expressions del Sol means an impacting design statement.

Whether the lite opening in your door is a necessity or an elected design option, the Expressions del Sol glazing collection combines the essentials with innovation in its selection. Featuring recognized brand names such as Pilkington, Matelux, Visual Impact Technologies and Firelite™ we are confident that this collection will provide a pallet to spark your imagination. Style options in this collection include texture glazing, tinted glazing, laminated glazing with colored or patterned film, sand blasted glass, in addition to, functional options such as wired, tempered, and fire-rated glass.

Consistent in look and unique in appearance, specifying factory glazing responds to your hassle-free needs by eliminating field glazing hassles, appearance concerns and added coordination costs. Our factory glazing is done with the same care and exceptional craftsmanship that we commit to each and every door that we create. As an additional assurance to you, every door that is factory machined, finished and glazed is delivered ready to hang, making your work easier.

Expressions del Sol factory glazing is available on both Marshfield Signature Series™ and Marshfield Accent Series™ doors. Core choices include particleboard, stave, structural composite lumber and fire-rated mineral core available with fire-rated glass. For environmental stewardship, factory glazing is also available with Marshfield's Environmental Class™ doors, which includes Scientific Certified Systems (SCS) certified particleboard core, Forest Stewardship Council (FSC) certified stave core and environmental fire-rated mineral core.

On projects that include 45-90 minute fire-rated door applications, Marshfield DoorSystems' unique veneer clad lite bead moulding offers distinguishing attention to detail. Marshfield's special PVC moulding is wood wrapped, eliminating the need for metal and providing an option to match W-6 moulding on your 20 minute rated and non-rated doors.

Marshfield DoorSystems prides itself on designing innovative solutions that enhance the beauty and functionality of any building.




Shown with Pilkington Texture Glass-Autum




Shown with Visual Impact Technologies Crystale 65 ANN Lam Glass

## Selection of Possibilities


Marshfield's Expressions del Sol collection offers design professionals the flexibility to expand the possibilities for design creations in door openings. Choose from any of the standard glass offerings shown below, or if you have a different glass selection in mind from any of the manufacturer's in this collection let us know. With the wide range of glass available, you have the flexibility to match or complement any aspect of a building's design.




Pilkington Texture Glass - Reeded



Pilkington LOF Mirropane EP Grey Glass with Mirror



Visual Impact Technologies Mosaic 50 ANN LAM




Visual Impact Technologies Crystale 65 ANN Lam




White Laminated




Vanceva 0378



Clear Polycarbonate



Square Wire Glass



Firelite Glass

Illustrated with a company logo or a unique design, sand blasted glass (shown on the right) creates a visibly distinctive impression in any opening. As part of the Expressions del Sol collection, sand blasted designs are available with white frosted sand blasting or can be specified with impregnated color. The design surface is enclosed between two panes of tempered glass affording an easy to clean surface.



## Expressions del Sol™ Standard Glass Offering Summary Chart

Item Description	Thickness	Glass Tempered	Impact Safety Ratings			Available as Fire Rated
			ANSI Z97.1	CPSC 16 CFR 1201 Category I	CPSC 16 CFR 1201 Category II	
Pilkington Texture Glass - Reeded	1/4"	Yes	Yes	Yes	Yes	No
Pilkington LOF Mirropane EP Grey Glass with Mirror Coating	1/4"	Yes	Yes	Yes	Yes	No
Visual Impact Technologies Mosaic 50 ANN LA	7/32"	Yes	Yes	Yes	Yes	No
Visual Impact Technologies Crystale 65 ANN LAM	7/32"	Yes	Yes	Yes	Yes	No
Satin Etched Obscure Glass	1/4"	No	Yes	Yes	Yes	No
Safti Superlite 1-W Diamond Wire Glass	1/4"	No	Yes	Yes	Yes	Yes
Safti Superlite 1-W Baroque Wire Glass	1/4"	No	Yes	Yes	Yes	Yes
Vanceva 0378	9/32"	No	Yes	Yes	Yes	No
Clear Polycarbonate	1/4"	N/A	Yes	Yes	Yes	No
Diamond Wire Glass	1/4"	No	Yes	No	No	Yes
Insulated Glass 1", 1/4" Laminated, 1/2" Air, 1/4" Laminated	1"	No	Yes	Yes	Yes	No
Laminated Glass	1/4"	No	Yes	Yes	Yes	No
Square Wire Glass	1/4"	No	Yes	No	No	Yes
Tempered Glass	1/4"	Yes	Yes	Yes	Yes	No
Firelite NT .Glass 3/16" Clear	3/16"	No	Yes	Yes	Yes	Yes
Firelite Plus .Glass 5/16" Clear	5/16"	No	Yes	Yes	Yes	Yes
PyroEdge - 20" Clear	1/4"	Yes	Yes	Yes	Yes	Yes
White Laminated Glass	1/4"	No	Yes	Yes	Yes	Yes



# Expressions *del Sol*™



Marshfield®  
DoorSystems

800-869-3667

[www.marshfelddoors.com](http://www.marshfelddoors.com)

[doors@mdrsys.com](mailto:doors@mdrsys.com)

1401 East Fourth Street

Marshfield, WI 54449-7780

EDS001 Date 1.03  
Printed in the United States  
©2003 Marshfield DoorSystems, Inc.

